




HEALTHCORE
VENTURES
build.scale.expand.

PRODUCT CATALOGUE

Surgical Instrument Sets

Sr. No.	Description	Page No.
1.	Interlocking Tibia/Femur Instrument Set	1
2.	PFN / TFN Instrument Set	2
3.	PFNA2 Instrument Set	3-4
4.	Humerus Instrument Set	5
5.	Elastic Nail Instrument Set	6
6.	Universal Nail Extractor And Broken Nail Removal Set	6
7.	Supracondylar Instrument Set	7
8.	2.4/2.7 mm Distal Radius Instrument Set	7
9.	3.5 mm Locking Instrument Set	8
10.	5 mm Locking Instrument Set	8
11.	Mini Plate Instrument Set	9
12.	6.5 MM CC Instrument Set	10
13.	4.00 MM CC Instrument Set	10
14.	Broken Screw Removal Set	11
15.	DHS / DCS Instrument Set	12
16.	Fixed / Modular Bipolar Instrument Set	13
17.	Spine Instrument Set	14-15
18.	Pelvic Instrument Set	16
19.	Herbert Screw Instrument Set	17
20.	Large Fragment Instrument Set	17
21.	Small Fragment Instrument Set	18

Interlocking Tibia/Femur Instrument Set



- BU.2520.162** DIAMOND POINTED AWL : CURVED FOR TIBIA (LOCK-IN-NAIL)
- BU.2520.165** DIAMOND POINTED AWL : CANNULATED FOR FEMUR (LOCK-IN-NAIL)
- BU.2501.030** LOCK-IN-NAIL: GUIDE WIRE 2.0MM X 60CM - BEEDED (8MM NAIL)
(FOR 8MM NAIL)
- BU.2501.031** LOCK-IN-NAIL: GUIDE WIRE 2.0MM X 60CM - NON BEEDED (8.0MM NA)
- BU.2501.040** LOCK-IN-NAIL: GUIDE WIRE 2.5MMX60CM - BEEDED
- BU.2501.041** LOCK-IN NAIL / K-NAIL: GUIDE WIRE 2.5MM X 60CM - NON BEEDED
- BU.2501.050** LOCK-IN-NAIL: JIG FOR FEMUR
- BU.2501.060** LOCK-IN-NAIL: INTRODUCER É THREADED BOLT FOR FEMUR
- BU.2501.070** LOCK-IN-NAIL: JIG FOR TIBIA
- BU.2501.080** LOCK-IN-NAIL: INTRODUCER É THREADED BOLT FOR TIBIA



- BU.2501.090** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: BOX SPANNER É T-HANDLE
(SOCKET WRENCH) 10MM
- BU.2501.100** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: TOMMY BAR
- BU.2501.110** LOCK-IN-NAIL: PROTECTION SLEEVE 8.0MM DIA
- BU.2501.120** LOCK-IN-NAIL: TROCER POINTED
- BU.2501.130** LOCK-IN-NAIL: DRILL SLEEVE 3.2MM
- BU.2501.140** LOCK-IN-NAIL: DRILL SLEEVE 3.9MM
- BU.2501.170** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER É FIBRE HDL. 4.5MM
- BU.2501.180** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: HEAD FOR INTRODUCER (SUPINE DRIVER)
- BU.2501.190** LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE
- BU.2501.200** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : EXTRACTOR ROD
- BU.2501.210** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : HANDLE FOR EXTRACTOR ROD
- BU.2501.220** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: ROUND HAMMER



- BU.2501.190** LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE
- BU.2501.200** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : EXTRACTOR ROD
- BU.2501.210** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : HANDLE FOR EXTRACTOR ROD
- BU.2501.220** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: ROUND HAMMER
- BU.2302.832** DRILL BITS (S.S): 3.2MM X 8" (LOCK-IN-NAIL)
- BU.2302.840** DRILL BITS (S.S): 4.0MM X 8"
- BU.2501.310** LOCK-IN-NAIL : GUIDE WIRE EXCHANGE TUBE
- BU.2754.011** ALUM.BOX WITH COTING FOR INTER LOCKING INST WITH GRAFICS.

PFN/TFN Instrument Set




- BU.2505.001** PFN / TFN : JIG (ONLY JIG WITHOUT ARM)
- BU.2505.002** PFN : ATTACHEMENT BOLT
- BU.2505.003** TFN / PFN : GUIDE BAR FOR 130°
- BU.2505.004** TFN / PFN : ONLY GUIDE BAR - 135°
- BU.2505.020** PFN : INTRODUCER WITH THEADED BOLT
- BU.2505.030** PFN : PROTECTION SLEEVE FOR 8MM HIP BOLT (12MM) X 6"
- BU.2505.040** PFN : PROTECTION GUIDE SLEEVE 6.4MM PROXIMAL PIN (BOLT) (10M)
- BU.2505.050** PFN : GUIDE WIRE SLEEVE FOR 8MM HIP BOLT X 6"
- BU.2505.060** PFN : GUIDE WIRE SLEEVE 6.4MM FOR PROXIMAL
- BU.2505.070** PFN : CANNU.REAMER FOR 8MM HIP BOLT - 8.0X5.5X10X325L
- BU.2505.080** PFN : CANNU.REAMER FOR 6.4MM PROXIMAL PIN - 6.4X5.0X10X325L
- BU.2505.090** PFN : CANNU.RECON.TAP FOR 8MM HIP BOLT
- BU.2505.100** PFN : CANNU.RECON.TAP FOR 6.4MM PROXIMAL PIN
- BU.2505.120** PFN : HEX.CANNU.SCREWDRIVER FOR 6.4MM/8MM
- BU.2505.130** PFN : CENTERING AWL (CANNULATED) - 15MM WITH QUICK COUPLING
- BU.2505.135** PFN : POINTED AWL - 8MM X 230MM
- BU.2505.150** PFN : STARTING BONE AWL
- BU.2501.170** PFN : TOMMY BAR
- BU.2501.180** PFN : SUPINE DRIVER
- BU.2501.200** PFN : EXTRACTOR ROD
- BU.2501.210** PFN : HANDLE FOR EXTRACTOR ROD
- BU.2501.220** PFN : ROUND HAMMER
- BU.2505.230** PFN : DRILL SLEEVE 4MM LONG
- BU.2505.235** PFN : DRILL SLEEVE 5.5MM (PROTECTION GUIDE SLEEVE)
- BU.2505.250** PFN : S.S. DRILL BITS - 5.5MM X 300MM (SOLID)
- BU.2505.255** PFN : SHOLAPUR SLEEVE - 15MM
- BU.2505.261** PFN : GUIDE WIRES : 2.0MM X 45CM
- BU.2505.262** PFN : GUIDE WIRE FOR NAIL - 3.0MM X 60CM WITH SHARP DRILLING TIP
- BU.2501.095** LOCK-IN-NAIL / PFN : SOCKET WRENCH WITH HINGE - BOX SPANNER É T-HDL.
(10MM SOCKET WRENCH)
- BU.2302.840** DRILL BITS (S.S): 4.0MM X 8"
- BU.2201.010** D.H.S. / PFN:COUPLING WITH S.S HANDLE
- BU.2754.001** ALUM. BOX É TRAY FOR LOCK-IN / PFN / UNI-LOCK INST : 18"X6" X 4"
- BU.2501.170** LOCK-IN-NAIL/PFN : SCREWDRIVER É FIBRE HDL. 4.5MM
- BU.2501.190** LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE



PFNA2 Instrument Set



- BO.1200.0701** 4.5 MM SCREW DRIVER FOR DISTAL LOCK
- BO.1200.0702** STARTING REAMER FOR NAIL
- BO.1200.0703** C.C. REAMER FOR PFN 2 BLADE
- BO.1200.0704** 4.3 MM DRILL BIT FOR 4.9MM DISTAL SCREW
- BO.1200.0705A** PROTECTION SLEEVE FOR
- BO.1200.0705** 4.3 MM DRILL SLEEVE D/4.3 MM DRILL SLEEVE FOR DL
- BB0.1200.0706A** PROTECTION SLEEVE FOR 4.3 MM DRILL SLEEVE D/L
- BO.1200.0706B** 4.3 MM DRILL SLEEVE FOR DL
- BO.1200.0706C** TROCAR SLEEVE FOR FOR D/L
- BO.1200.0707** OPEN DEPTH GUAGE 70 - 120 FOR BLADE
- BO.1200.0708** WRENCH FOR CONICAL BOLTP
- BO.1200.0709** SPANER FOR BLADE HOLDING
- BO.1200.0710** PROTECTION SLEEVE FOR STARTING REAMER AND GUIDE WIRE SLEEVE
- BO.1200.0711** C.C SCREW DRIVER FOR NAIL CAP
- BO.1200.0712** C.C. SPANER FOR C.C CAP SCREW DRIVER
- BO.1200.0713** TISSUE PROTECTOR
- BO.1200.0714** QUICK COUPLING HANDLE
- BO.1200.0715** CANNULATED AWL FOR ENTRY
- BO.1200.0716** GUIDE WIRE HANDLE
- BO.1200.0717** DISTAL POSITION LOCK
- BO.1200.0718** DRILL FOR DISTAL POSITION
- BO.1200.0719** ROD FOR DISTAL POSITION
- BO.1200.0720A** POSITION DRILL SLEEVE FOR
- BO.1200.0720B** 5.2 MM DRILL BIT 5.2 MM POSITION DRILL BIT
- BO.1200.0721** NAIL REMOVAL EXTRACTION ROD
- BO.1200.0722** LONG DEPTHGUAGE 0 - 100 MM
- BO.1200.0723** BLADE REMOVAL EXTRACTOR ROD
- BO.1200.0724** CANNULATED REDUCTION ROD
- BO.1200.0725** FLEXIBLE REAMER
- BO.1200.0726** 3MM THREADED GUIDE WIRE
- BO.1200.0727** GUIDE WIRE FOR ENDCAP
- BO.1200.0728** TEMPLATE FOR DEVELOPMENT
- BO.1200.0729** REAMER HEAD 9MM - 13.5 MM
- BO.1200.0730** IMPACTOR FOR NAIL
- BO.1200.0731A** PROTECTION SLEEVE FOR POSITION DRILL SLEVE




PFNA2 Instrument Set



BO.1200.0731B	TROCAR SLEEVE FOR POSITON
BO.1200.0732	OPEN WRENCH FOR EXTRACTOR ROD
BO.1200.0733	ALANKEY FOR 4.3 MM DRILL STOPPER
BO.1200.0734	ALANKEY FOR 4.3 MM DRILL STOPPER
BO.1200.0735	DISTAL ZIG FOR 17 CM / 20 CM
BO.1200.0736	DISTAL ZIG FOR 22 CM / 24 CM
BO.1200.0737	DISTAL ZIG FOR 17 CM / 20 CM / 22 CM/24 CM
BO.1200.0738	PROXIMAL ZIG FOR H BLADE
BO.1200.0739	FIX HAMMER
BO.1200.0740	ZIG FOR NAIL ATTACH
BO.1200.0741	CONICAL BOLT
BO.1200.0742	1ST DISTAL ATTACHMENT BOLT
BO.1200.0743	2nd DISTAL ATTACHMENT BOLT
BO.1200.0744	3rd DISTAL ATTACHMENT BOLT
BO.1200.0745	DISTAL ZIG FOR LONG NAIL
BO.1200.0746	BLADE INSERTER SCREW DRIVER
BO.1200.0747	MEDIAL ATTACHMENT FOR DISTAL ZIG
BO.1200.0748	SLIDE HAMMER
BO.1200.0749	CONNECTING ROD FOR BLADE HAMMERING
BO.1200.0750	ZIG FOR LONG NAIL DISTAL SCREW LOCATION
BO.1200.0751 A	PROTECTION SLEEVE FOR H BLADE
BO.1200.0751 B	PROTECTION SLEEVE FOR
BO.1200.0751 C	TROCAR & G/W FOR BLADETROCAR FOR H BLADE
BO.1200.0752	LONG GUIDE WIRE
BO.336.131	BOX FOR PFN 2 IMPLANTS
BO.709.039	BOX WITH PFN2 INSTRUMENTS SET Bolts - (1,2,3,4,5,6 type) - 6 pcs
B.IM.S.001.14	EXTRACTOR ROD
B.IM.S.001.16	ROUND HAMMER
B.IM.S.001.04	SPANNER
	ALLUMINIUM BOX

Humerus Instrument Set




- B0.711.015** HUMERUS ZIG
- B0.711.021** PROTECTION SLEEVE LONG
- B0.711.026** TROCAR SLEEVE
- B0.711.006** DRILL SLEEVE 2.5 MM
- B0.711.003** CONICAL BOLT
- B0.711.016** TISSUE PROTECTOR
- B0.711.001** BONE AWL
- B0.711.005** DRILL BIT 2.5 MM X 250 MM
- B0.711.011** INT. HUMERUS HAMMER
- B0.711.013** INT. HUMERUS SCREW DRIVER 3.5 MM
- B0.711.004** INT. HUMERUS DEPTH GAUGE
- B0.711.015** INT. HUMERUS GUIDE WIRE PLAIN 2.0 MM X 450 MM
- B0.711.015** INT. HUMERUS NYLON TUBE
- B0.711.015** C.C. REAMER 380 MM X 06 MM
- B0.711.015** C.C. REAMER 380 MM X 07 MM
- B0.711.015** C.C. REAMER 380 MM X 08 MM
- B0.711.015** COMPRESSION BOLT
- B0.711.007** INT. HUMERUS EXTRACTOR ROD
- B0.711.008** INT. HUMERUS EXTRACTOR HANDLE
- B0.711.002** INT. HUMERUS CAP
- B0.711.017** INT. HUMERUS TOMMY BAR
- B0.711.014** INT. HUMERUS SPANNER SMALL
- B0.711.027** INT. HUMERUS SPANNER LARGE
- B0.711.022** INT. HUMERUS BOX SPANNER
- B0.711.029** INT. HUMERUS GUIDE WIRE HANDLE
- B0.711.015** BOX FOR HUMERUS INTERLOCKING SET




Elastic Nail Instrument Set




- BU.2521.601** TITANIUM ELASTIC NAIL IMPACTOR WITH SLANT END - 7"
- BU.2521.602** TITANIUM ELASTIC NAIL : F - TOOL
- BU.2521.603** TEN - INTRODUCER WITH OFFSET T- HANDLE WITHOUT CHUCK
- BU.2521.604** TEN - EXTRACTOR ROD FOR OFFSET T-HANDLE
- BU.2521.605** TEN - FLEXIBLE SLOTTED HAMMER WITH FIBER HANDLE
- BU.2521.625** TEN - END CAP DRIVER (INTRODUCER) UPTO 2.5MM ELASTIC NAIL CAP (3409.125)
- BU.2521.640** TEN - END CAP DRIVER (INTRODUCER) FROM 3.0 TO 4.0MM ELASTIC NAIL CAP (3409.140)
- BU.2306.511** IMPORTED S.S.CHUCK & KEY FOR U.B.DRIL/JACOB INTRO - 6.0MMCAP NEW PRICE W.E.F. 01.12.2014
- BU.2521.610** TEN - SQUARE AWL ANGLED WITH HANDLE
- BU.2521.611** TEN - SQUARE AWL STRAIGHT WITH HANDLE
- BU.2521.672** TEN / NAIL EXTRACTOR - PLIER (ONE SIDE SERRATED) WITH EXTENSION FOR HAMMERING
- BU.2714.033** HIT WIRE CUTTER SIDE 12" LONG (NO GUARANTEE / WARRANTY)
- BU.2754.091** ALUM. BOX-COATING É SIDELOCK (480 X 250 X 110MM) FOR TIT ELASTIC NAIL IMPL & INST WITH SILICON FITTING.



Universal Nail Extractor & Broken Nail Removal Set




- BU.2520.820** UNIVERSAL NAIL EXTRACTOR WITH 14 BOLTS, ROD & CONTAINER
- BU.2520.830** BROKEN NAIL TIP EXTRACTOR WITH TAPERED THREADED END-62CMLONG WITH THREADED END FOR K-NAIL EXTRACTOR
- BU.2520.835** BROKEN NAIL TIP EXTRACTOR WITH LONG HOOK (WIRE TYPE) TO BE INTRODUCED FROM SIDE OF NAIL




Supracondylar Instrument Set



- BU.2502.020** SUPRA-CONDYLAR:DRILL BAR
- BU.2502.030** SUPRA-CONDYLAR:DRILL BOLT
- BU.2502.040** SUPRA-CONDYLAR:ATTACHMENT BOLT
- BU.2502.050** SUPRA-CONDYLAR:GUIDE SLEEVE 8MM
- BU.2502.060** SUPRA-CONDYLAR:DRILL SLEEVE 4MM
- BU.2502.070** SUPRA-CONDYLAR:TROCAR



- BU.2502.080** SUPRA-CONDYLAR:CANNULATED CUTTER
- BU.2501.090** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: BOX SPANNER É T-HANDLE (SOCKET WRENCH) 10MM
- BU.2501.100** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: TOMMY BAR
- BU.2501.170** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER É FIBRE HDL. 4.5MM
- BU.2501.180** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: HEAD FOR INTRODUCER (SUPINE DRIVER)
- BU.2501.190** LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE



- BU.2501.200** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : EXTRACTOR ROD
- BU.2501.210** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : HANDLE FOR EXTRACTOR ROD
- BU.2501.220** LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: ROUND HAMMER
- BU.2501.040** LOCK-IN-NAIL: GUIDE WIRE 2.5MMX60CM - BEEDED
- BU.2501.041** LOCK-IN NAIL / K-NAIL: GUIDE WIRE 2.5MM X 60CM - NON BEEDED
- BU.2501.310** LOCK-IN-NAIL : GUIDE WIRE EXCHANGE TUBE
- BU.2302.840** DRILL BIT 4.0MM X 8"
- BU.2520.130** V-NAIL TISSUE PROTECTOR (TISSUE PROTECTOR)

2.4/2.7mm Distal Radius Instrument Set




- BU.2308.027** BONE TAP WITH T-HANDLE : 2.7MM
- BU.2307.127** DEPTH GAUGE É LASER PRINTING : 2.7MM
- BU.2325.027** LOCK-IN (ALT) SLEEVE : FOR 2.4/2.7MM SCREW
- BU.2325.027** LOCK-IN (ALT) SLEEVE : FOR 2.4/2.7MM SCREW
- BU.2302.620** DRILL BITS (S.S): 2.0MM X 6"
- BU.2302.625** DRILL BITS (S.S): 2.5MM X 6"
- BU.2310.352** SCREWDRIVER E FIBRE HANDLE 3.5MM
- BU.2310.708** SCREWDRIVER WITH FIBER HANDLE : TORX (STAR DRIVE) : T8 FOR 2.7MM SCREW - GOLDEN
- BU.2310.279** COATEDTORQUE LIMITNG SCREW DRIVER 2.4/2.7MM SCREW 2MM A/F
- BU.2340.327** SCREWDRIVER WITH SILICON HDL (EXPORT QUALITY) : 2.0MM A/F

3.5mm Locking Instrument Set



- BU.2310.351** SCREWDRIVER É FIBRE HANDLE HEX.: 3.5MM
- BU.2308.035** BONE TAP WITH T-HANDLE : 3.5MM (1.75MM PITCH OR 14 TPI)
- BU.2312.020** PLATE BENDER (IRON TYPE)
- BU.2302.628** DRILL BITS (S.S): 2.7MM X 8"
- BU.2302.828** DRILL BITS (S.S): 2.8MM X 8"
- BU.2307.135** DEPTH GAUGE É LASER PRINTING : 3.5MM
- BU.2325.035** LOCK-IN (ALT) SLEEVE : FOR 3.5MM SCREW
- BU.2310.359** TORQUE LIMITIND SCREW DRIVER 3.5MM
- BU.2309.535** QUICK COUPLING SCREWDRIVER (3.5MM DIA)
- BU.2753.224** ALUM. BOX-COATING É SIDELOCK FOR 3.5MM LOCKING SCREW & INSTRUMENT WITH SILICON FITTING (295 X 185 X 135MM - INSIDE DIMENSION).

5MM Locking Instrument Set



- BU.2312.010** PLATE BENDER (ORDINARY) (ONE PAIR)
- BU.2325.050** LOCK-IN (ALT) SLEEVE : FOR 5.0MM SCREW
- BU.2308.045** BONE TAP WITH T-HANDLE : 4.5MM (14 TPI) POINT
- BU.2310.459** TORQUE LIMITING SCREWDRIVER 4.5MM SCREW (HEX) - 3.5 A/F
- BU.2302.832** DRILL BITS (S.S): 3.2MM X 8" (LOCK-IN-NAIL)
- BU.2302.032** DRILL BITS (S.S): 3.2MM X 10" (LOCK-IN-NAIL)
- BU.2302.842** DRILL BITS (S.S): 4.2MM X 8" (LOCK-IN ALT 5.0MM SYSTEM)
- BU.2302.042** DRILL BITS (S.S): 4.2MM X 10" (LOCK-IN ALT 5.0MM SYSTEM)
- BU.2310.451** SCREWDRIVER É FIBRE HANDLE HEX.: 4.5MM
- BU.2307.145** DEPTH GAUGE É LASER PRINTING : 4.5MM
- BU.2309.545** QUICK COUPLING SCREW DRIVER :4.5MM
- BU.2753.225** ALUM. BOX-COATING É SIDELOCK FOR 5.0MM LOCKING SCREW & INSTRUMENT WITH SILICON FITTING (330 X 220 X 145MM - INSIDE DIMENSION).



Mini Plate Instrument Set



- BU.2302.310** DRILL BITS (S.S) FOR MICRO HAND DRILL: 1.0MM X 3" (SHAFT DIA 2.35MM)
- BU.2302.315** DRILL BITS (S.S) FOR MICRO HAND DRILL: 1.5MM X 3" (SHAFT DIA 2.35MM)
- BU.2302.620** DRILL BITS (S.S): 2.0MM X 6"
- BU.2305.201** DRILL SLEEVE (D/E) É SLANT HDL.: 2.0MM X 2.7MM (30MM SLEEVE LENGTH)
- BU.2302.627** DRILL BITS (S.S): 2.7MM X 6"
- BU.2305.210** TRIPLE DRILL / PARALLEL K-WIRE GUIDE FOR 2.0MM 3 PARALLELE HOLES ON ONE SIDE AND ONE HOLE ON OTHER SIDE

- BU.2305.208** DRILL SLEEVE (D/E) É SLANT HDL.: 1.5MM X 2.0MM (20MM SLEEVE LENGTH)
- BU.2307.115** DEPTH GAUGE FOR 1.5/2.0/2.5MM (MINI) SCREW (MAXILLOFACIAL)
- BU.2307.127** DEPTH GAUGE É LASER PRINTING : 2.7MM
- BU.2310.151** SCREWDRIVER WITH FIBER HDL HEX.: 1.5MM A/F FOR MICRO SCREWS
- BU.2340.327** SCREWDRIVER WITH SILICON HDL (EXPORT QUALITY) : 2.0MM A/F
- BU.2310.708** SCREWDRIVER WITH FIBER HANDLE : TORX (STAR DRIVE) : T8 FOR 2.7MM SCREW - GOLDEN COATED


- BU.2311.600** QUICK COUPLING HANDLE FOR CROSS SLOT SELF HOLD. SCREWDRIVER
- BU.2311.615** SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 1.5 MM
- BU.2311.620** SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 2.0 MM
- BU.2311.625** SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 2.5 MM

- BU.2312.001** MINI PLATE BENDER WITH PIN (MODELLING LEVER WITH PIN)
- BU.2312.006** MINI PLATE SIMPLE PLIER (MAXILLOFACIAL)
- BU.2312.020** PLATE BENDER (SMALL) (BENDING IRON)
- BU.2350.010** PLATE HOLDING FORCEPS FOR MAXILLOFACIAL (MINI)
- BU.2350.020** SCREW HOLDING FORCEPS FOR MAXILLOFACIAL (MINI)
- BU.2106.093** SCRAPPER (SHARP HOOK)

- BU.2652.106** HOHMAN'S BONE SPIKE FOR RADIUS/ULNA/MAXILLOFACIAL : 6MM
- BU.2652.108** HOHMAN'S BONE SPIKE FOR RADIUS/ULNA/MAXILLOFACIAL : 8MM
- BU.2640.031** PERIOSTEUM ELEVATOR (A.O.TYPE) : 3MM X STR X SQ TIP
- BU.2619.405** REDUCATION CLAMP : SERRATED É RATCHET X 5"
- BU.2610.004** SELF CENTERING FORCEPS (A.O.TYPE) : 4"
- BU.2610.006** SELF CENTERING FORCEPS (A.O.TYPE) : 6"



6.5MM CC Instrument Set




- BU.2601.010** 6.5MM CANNU.CANCE.:DRILL - 4.5MM
- BU.2302.840** DRILL BITS (S.S): 4.0MM X 8"
- BU.2601.020** 6.5MM CANNU.CANCE.:TAP
- BU.2310.451** SCREWDRIVER E FIBRE HANDLE HEX.: 4.5MM
- BU.2601.040** 6.5MM CANNU.CANCE.:ANGLE GUIDE
- BU.2604.118** GUIDE WIRES : PLAIN : 1.8MM X 225MM (APPROX 9") FOR 6.5MM C.C. SCREW
- BU.2753.131** ALUM. BOX-COATING É SIDELOCK (250 X 100 X 125) FOR 6.5MM C. SCREWS.

4.00MM CC Instrument Set




- BU.2602.020** 4.0MM CANNU.CANCE.:TAP
- BU.2602.018** 4.0MM CANNU.CANCE/SCAFEX .:DRILL BITS LONG
- BU.2602.010** 4.0MM CANNU.CANCE/SCAFEX .:DRILL BITS SMALL
- BU.2602.030** 4.0MM CANNU.CANCE/HERBERT/SCAFEX.:SCREWDRIVER É BLUE HDL.
- BU.2602.040** 4.0MM CANNU.CANCE.:ANGLE GUIDE
- BU.2604.212** GUIDE WIRES : THREADED : 1.2MM X 9" FOR 4.0MM C.C. /HERBERT/ SCAFEX SCREW
- BU.2753.191** ALUM. BOX-COATING É SIDELOCK FOR 4.0MM C.C SCREWS.

Broken Screw Removal Set



- BU.2326.000** SCREW REMOVAL SET WITH BOX (ADD BATCH NO OF INDIVIDUAL PRODUCT)
- BU.2326.100** HOLLOW MILL (SET OF 4)
- BU.2326.200** SCREW REMOVAL FORCEPS
- BU.2326.125** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 2.0MM A/F
- BU.2326.135** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 2.5MM A/F
(FOR 3.5MM SCREW)
- BU.2326.145** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 3.5MM A/F
(FOR 4.5MM SCREW)
- BU.2326.165** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 4.75MM A/F (FOR PFN BOLT)
- BU.2326.535** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SQUARE TIP) :
FOR 3.5MM SCREW
- BU.2326.545** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SQUARE TIP) :
FOR 4.5MM SCREW
- BU.2326.627** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) :
FOR 2.7MM SCREW
- BU.2326.635** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) :
FOR 3.5MM SCREW
- BU.2326.645** SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) :
FOR 4.5MM SCREW
- BU.2326.708** SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D :
T8 (FOR 2.4/2.7MM SCREW)
- BU.2326.715** SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D :
T15 (FOR 3.5MM SCREW)
- BU.2326.725** SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D :
T25 (FOR 4.5MM SCREW)
- BU.2326.730** SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D : T30
- BU.2326.010** QUICK COUPLING HANDLE (FOR TRIANGULAR TIP) WITH SILICON HANDLE
- BU.2326.940** SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) - FOR BREAKING
LOCKING SCREW - 4.0MM (5/32)
- BU.2326.948** SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) : FOR BREAKING
LOCKING SCREW : 4.8MM(3/16)
- BU.2326.955** SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) : FOR BREAKING
LOCKING SCREW : 5.6MM (7/32)
- BU.2759.326** ALUM. BOX FOR SCREW REMOVAL SET WITH TRAY (10"X7"X3") WITH SELF
HOLDING ARRANGEMENT.

DHS/ DCS Instrument Set



BU.2201.120 D.H.S. / SUPRA-CONDYLAR :DIRECT MEASURING DEVICE (GAUGE)

BU.2201.130 D.H.S.:ANGLE GUIDE - 90° TO 155°

BU.2201.020 D.H.S.:BONE TAP SUITABLE FOR T-HDL / MANMAN DRILL

BU.2201.060 D.H.S.:CENTERING SLEEVE FOR TAP

BU.2201.070 D.H.S.:CENTERING SLEEVE FOR WRENCH

BU.2201.140 D.H.S.:FIXED ANGLE GUIDE - 130°

BU.2201.150 D.H.S.:FIXED ANGLE GUIDE - 135°

BU.2201.080 D.H.S.:INTRODUCER WITH EXTRACTOR ROD

BU.2201.050 D.H.S.:TRIPLE ACTION REAMER FOR D.C.S.SUITABLE FOR T-HANDLE / MANMAN DRILL

BU.2201.080 D.H.S.:INTRODUCER WITH EXTRACTOR ROD

BU.2201.030 D.H.S.:TRIPLE ACTION REAMER FOR D.H.S. (L/B) SUITABLE FOR T-HANDLE / MANMAN DRILL

BU.2201.040 D.H.S.:TRIPLE ACTION REAMER FOR D.H.S. (S/B) SUITABLE FOR T-HANDLE / MANMAN DRILL

BU.2201.050 D.H.S.:TRIPLE ACTION REAMER FOR D.C.S. SUITABLE FOR T-HANDLE / MANMAN DRILL

BU.2201.111 D.H.S.:TUBE GUIDE - CANNULATED É EXTRACTOR ROD & T-HDL.

BU.2201.100 D.H.S.:TUBE IMPACTOR WITH NYLON

BU.2201.010 PHASED.H.S. / PFN:COUPLING WITH S.S HANDLE

BU.2201.172 D.H.S.:IMPLANTS & INSTRUMENTS BOX (ALU) WITH ALU. INSERTS

BU.2604.125 GUIDE WIRES : PLAIN : 2.5MM X 230MM (APPROX 9") FOR D.H.S.

BU.2752.101 D.H.S.:BOX FOR INST / IMPL (ALUMINIUM) WITH INSERT& 3TRAYS A WITH ANODISING WITH SILICONE (BLUE) INSERTS.



Fixed/ Modular Bipolar Instrument Set



BU.2401.201 THR : RASP FOR MULLER STEM : SMALL

BU.2401.202 THR : RASP FOR MULLER STEM : MEDIUM

BU.2401.203 THR : RASP FOR MULLER STEM : LARGE

BU.2401.205 THR : RASP FOR V-STEM - SMALL

BU.2401.206 THR : RASP FOR V-STEM - MEDIUM

BU.2401.207 THR : RASP FOR V-STEM - LARGE

BU.2401.210 TOTAL HIP - STEM DRIVER WITH HAMMER

BU.2408.139 MODULAR BI-POLAR TRIAL CUP : 39MM

BU.2408.141 MODULAR BI-POLAR TRIAL CUP : 41MM

BU.2408.143 MODULAR BI-POLAR TRIAL CUP : 43MM

BU.2408.145 MODULAR BI-POLAR TRIAL CUP : 45MM

BU.2408.147 MODULAR BI-POLAR TRIAL CUP : 47MM

BU.2408.149 MODULAR BI-POLAR TRIAL CUP : 49MM

BU.2408.151 MODULAR BI-POLAR TRIAL CUP : 51MM

BU.2408.153 MODULAR BI-POLAR TRIAL CUP : 53MM

BU.2410.025 CEMENT RESTRICTOR INTRODUCER é T-HDL: 250MM

BU.2730.225 ALUM. BOX-COATING é SIDELOCK (20" X 15" X 5") FOR THR INSTRUMENTS WITH FITTINGS INSIDE DIMENSION



Spine Instrument Set



- BU.2103.010** UNI-LOCK - LENKE PROBE/AWL (LUMBER-FLAT) - STRAIGHT
- BU.2103.011** UNI-LOCK - LENKE PROBE/AWL (LUMBER-FLAT) - CURVED
- BU.2103.012** UNI-LOCK - AWL WITH STOPPER
- BU.2103.013** UNI-LOCK : PEDICLE AWL (DR.BHOJRAJ DSG)
- BU.2103.014** UNI-LOCK : CANDLE STICK : 2.5MM X 40MM X 100MM
- BU.2103.015** UNI-LOCK : LENKE PROBE/AWL (THORACIC-SQUARE) - STRAIGHT
- BU.2103.016** UNI-LOCK : LENKE PROBE/AWL (THORACIC-SQUARE) - CURVED
- BU.2103.040** UNI-LOCK / TEN - ROD BENDER (IN SITU) - NEW DSG
- BU.2103.045** UNI-LOCK : ROD BENDER (WITH ADJUSTABLE ARC)
- BU.2103.046** UNI-LOCK : BENDING TEMPLATES FOR ROD - 4"
- BU.2103.047** UNI-LOCK : BENDING TEMPLATES FOR ROD - 6"
- BU.2103.048** UNI-LOCK : BENDING TEMPLATES FOR ROD - 12"
- BU.2103.050** UNI-LOCK : COMPRESSOR
- BU.2103.055** UNI-LOCK : COMPRESSOR WITH PARALLEL MOVEMENT (EXPORT QUALITY)
- BU.2103.060** UNI-LOCK : DISTRACTOR
- BU.2103.065** UNI-LOCK : DISTRACTOR WITH PARALLEL MOVEMENT NEW DESIGN
- BU.2103.080** UNI-LOCK : ROD PUSHER
- BU.2103.090** UNI-LOCK : ROD PULLER
- BU.2103.100** UNI-LOCK : POLY AXIAL SCREWDRIVER é FIBRE HDL.LONG TIP - 3.5MM A/F - FOR ROD REDUCER
- BU.2103.105** UNI-LOCK : QUICK COUPLING SCREWDRIVER FOR POLY-AXIAL TILL STOCK LAST. NO MORE PRODUCTION.
- BU.2103.107** UNI-LOCK : POLYAXIAL DRIVER WITH THREADED SLEEVE - 3.5MM A/F SCREWS
- BU.2103.108** UNI-LOCK : POLYAXIAL FLAT TIP DRIVER WITH THREADED SLEEVE
- BU.2103.109** UNI-LOCK : POLY AXIAL DRIVER é HOLDING & THREADED SLEEVE
- BU.2103.110** UNI-LOCK : QUICK COUPLING HANDLE
- BU.2103.120** UNI LOCK: SCREWDRIVER FOR INNIE (SELF HOLDING)
- BU.2103.125** UNI-LOCK / LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER é SILICON HDL FOR INNIE: SOLID
- BU.2103.128** UNI-LOCK : SOLID INNIE SCREW DRIVER LONG FOR ROD REDUCER
- BU.2103.129** TORQUE LIMITING SCREW DRIVER FOR UNI-LOCK WITH T-HANDLE 3.5MM A/F
- BU.2103.137** UNI-LOCK : ANTI TORQUE SLEEVE WITH BLUE HANDLE
- BU.2103.138** UNI-LOCK : ANTI TORQUE SLEEVE (ROD PUSHER SLEEVE)
- BU.2103.145** UNI-LOCK: QUICK COUPLING SCREWDRIVER FOR MONO-AXIAL TILL STOCK LASTS. NO MORE PRODUCTION)



Spine Instruments Set




- BU.2103.148** UNI-LOCK : MONOAXIAL FLAT TIP DRIVER WITH THREADED SLEEVE
- BU.2103.149** UNI-LOCK : MONOAXIAL DRIVER WITH HOLDING & THREADED SLEEVE
- BU.2103.150** UNI-LOCK : ROD HOLDING FORCEPS
- BU.2103.160** UNI-LOCK : WISE GRIP FOR ROD HOLDING
- BU.2103.161** UNI-LOCK : ROD ROTATER (HEXAGONAL TIP)
- BU.2103.162** UNI-LOCK : ROD HOLDING CLAMP - RATCHET TYPE
- BU.2103.165** UNI-LOCK : WISE GRIP FOR ROD HOLDING (EXPORT QUALITY)
- BU.2103.170** UNI-LOCK : ROUND STAPLE 4 LEG HOLDER/IMPACTOR
- BU.2103.181** UNI-LOCK : ROCKER FORCEPS TYPE
- BU.2103.185** UNI-LOCK : ROD REDUCER FOR UNI-LOCK : GUN TYPE WITH OUTSIDE SLEEVE
- BU.2103.186** UNI-LOCK : ROD REDUCER (GUN TYPE) FOR ROD REDUCING OVER TULIP AND COMPRESSION FROM OUTSIDE WITH NUT ASSEMBLY
- BU.2103.210** UNI-LOCK : HOOK IMPACTOR
- BU.2103.215** UNI-LOCK : LAMINAR HOOK INITIATOR
- BU.2103.230** UNI-LOCK : SPANNER 6MM A/F FOR CROSS LINK WITH HINGES TOP SCREW
- BU.2103.260** UNI-LOCK : REDUCTION SCREW TAB REMOVER
- BU.2103.284** UNI -LOCK BONE TAP - 4.5MM
- BU.2103.285** UNI -LOCK BONE TAP - 5.5MM
- BU.2103.321** UNI-LOCK : POLYAXIAL DRIVER WITH HOLDING & THREADED SLEEVE FOR SQUARE QUICK COUPLING
- BU.2103.325** UNILOCK : SCREWDRIVER WITH FIBER HANDLE FOR INNIE : TORX (T30) - SOLID
- BU.2754.001** ALUM. BOX é TRAY FOR LOCK-IN / PFN / UNI-LOCK INST : 18"X6" X 4".

Pelvic Instruments Set




- BU.2411.003** PELVIC REDUCTION FORCEP WITH BALL TIP - ST.X 200MM
- BU.2411.004** PELVIC REDUCTION FORCEP WITH BALL TIPS-200MM - OBLIQUE
- BU.2411.005** PELVIC REDUCTION FORCEP WITH BALL TIPS - 250MM - STRAIGHT
- BU.2411.006** PELVIC REDUCTION FORCEP WITH BALL TIPS - 250MM LONG-OBLIQUE
- BU.2411.007** PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - STRAIGHT
- BU.2411.008** PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - OBLIQUE
- BU.2411.009** PELVIC REDUCTION FORCEP WITH 3 BALL TIPS - 400MM
- BU.2411.010** PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - ASYMMETRICAL
- BU.2411.021** PELVIC REDUCTION FORCEPS ADJUSTABLE SPEED LOCK PELVIC REDUCTION FORCEP : FARABEUFLAMBOTTE TYPE (LIKE LANE'S BONE HOLDING É RAT.) - 250MM FOR USE WITH 3.5/4.5M CORTICAL SCREWS-
- BU.2411.024** MEDIUM
- BU.2411.027** PELVIC SPIKED DISC (WASHER) WITH SOCKET FOR BALL TIP
- BU.2411.030** PELVIC SPIKED DISC (WASHER) PUSHER : STRAIGHT (320MM LONG)
- BU.2411.031** PELVIC SPIKED DISC (WASHER) PUSHER : ANGLED (320MM LONG)
- BU.2411.100** PELVIC RECON PLATE BENDER (SINGLE HINGE) FOR LATERAL & LINEAR BENDING FOR PELVIC PLATES (CNC)
- BU.2411.101** PELVIC IN SITU PLATE BENDING PLIER 300MM LONG
- BU.2411.103** PELVIC IN SITU PLATE BENDER & TWISTER : STRAIGHT X 4MM SERRATED TIP (320MM LONG)
- BU.2411.104** PELVIC IN SITU PLATE BENDER & TWISTER : 60° X 4MM SERRATED TIP (320MM LONG)
- BU.2411.105** PELVIC IN SITU PLATE BENDER & TWISTER : 90° X 4MM SERRATED TIP (320MM LONG)
- BU.2411.116** BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : STRAIGHT - 16H
- BU.2411.316** BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : CURVED (MALE - RADIUS 108MM) : 16H
- BU.2411.416** BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : CURVED (FEMALE - RADIUS 88MM) : 16H
- BU.2411.611** BLUNT PELVIC RETRACTOR - PELVIC RECONSTRUCTION SURGERY
- BU.2411.631** PELVIC HOHMANS RETRACTOR : 20MM X 110 DEGREE X 35MM LONG BEAK
- BU.2411.825** TROCAR FOR PELVIC (CANNULATED) - FOR 2.5MM GUIDE WIRE
- BU.2411.832** TROCAR FOR PELVIC (CANNULATED) - FOR 3.2MM GUIDE WIRE
- BU.2411.900** GANZ DISTRACTOR FOR PELVIC RECONSTRUCTION

Herbert Screw Instrument Set



- BA.1501** Ø2,0 MM SCREWDRIVER HEXAGONAL
- BA.1502** Ø2,0 MM CANNULATED SCREWDRIVER HEXAGONAL
- BA.1503** CLEANING STYLET
- BA.1504** KIRSCHNER WIRE
- BA.1505** Ø2,2X150 MM CANNULATED DRILL BIT
- BA.1506** MEASURING DEVICE
- BA.1507** PARALLEL SLEEVE
- BA.1508** SCREW FORCEPS
- BA.1509** ALUMINIUM BOX

Large Fragment Instrument Set



- BU.2302.445** DRILL BITS (S.S): 4.5MM X 4"
- BU.2302.632** DRILL BITS (S.S): 3.2MM X 6"
- BU.2305.204** DRILL SLEEVE (D/E) É SLANT HDL.: 3.2MM X 4.5MM
- BU.2305.245** LC-DCP UNIVERSAL DRILL GUIDE 4.5MM - SPRING LOADED DRILL BITS 3.2 DIA AND 4.5M DIA AND TISSUE PROTECTOR FOR TAPS

BU.2305.545 CENTRIC/ECCENTRIC DRILL GUIDE (EXPROT QUALITY) : 4.5MM

BU.2307.145 DEPTH GAUGE É LASER PRINTING : 4.5MM

BU.2307.545 COUNTER SINK WITH T-HANDLE : 4.5MM

BU.2308.045 BONE TAP WITH T-HANDLE : 4.5MM (14 TPI)

BU.2310.451 SCREWDRIVER É FIBRE HANDLE HEX.: 4.5MM

BU.2610.010 SELF CENTERING FORCEPS (A.O.TYPE) : 10"

BU.2610.012 SELF CENTERING FORCEPS (A.O.TYPE) : 12"

BU.2619.110 REDUCTION CLAMP: SERRATED X 10"

BU.2641.212 FARABEUZ PERIOSTEUM ELEVATOR (CRD): 12MM

BU.2312.010 PLATE BENDER (ORDINARY)

BU.2652.025 HOHMAN'S RETRACTOR : 25MM


BU.2652.015 HOHMAN'S RETRACTOR : 15MM

BU.2619.508 REDUCATION CLAMP : POINTED É RATCHET X 8"


BU.2640.103 PERIOSTEUM ELEVATOR (A.O.TYPE) : 10MM X CVD X SQ TIP

BU.2309.132 QUICK COUPLING DRILL BITS FOR A.O.: 3.2MM DIA X 145MM

BU.2759.005 ALUM. BOX-COATING É SIDELOCK (20"X8"X5") LARGE FRAG - INSTRUMENT INSIDE DIMENSION.



Small Fragment Instrument Set



- BU.2302.625** DRILL BITS (S.S): 2.5MM X 6"
- BU.2302.635** DRILL BITS (S.S): 3.5MM X 6"
- BU.2305.202** DRILL SLEEVE (D/E) É SLANT HDL.: 2.5MM X 3.5MM
- BU.2305.235** LC-DCP UNIVERSAL DRILL GUIDE 3.5MM - SPRING LOADED DRILL BIT 2.5 DIA AND 3.5MM AND TISSUE PROTECTION FOR TAPS
- BU.2305.535** CENTRIC/ECCENTRIC DRILL GUIDE (DCP DRILL GUIDE):3.5MM
- BU.2307.135** DEPTH GAUGE É LASER PRINTING : 3.5MM
- BU.2307.535** COUNTER SINK WITH T-HANDLE : 3.5MM
- BU.2308.135** BONE TAP WITH T-HANDLE : 3.5MM (1.25MM PITCH OR 20 TPI)
- BU.2309.125** QUICK COUPLING DRILL BITS FOR A.O.: 2.5MM DIA X 110MM
- BU.2310.351** SCREWDRIVER E FIBRE HANDLE HEX.: 3.5MM
- BU.2312.020** PLATE BENDER (SMALL) (BENDING IRON)
- BU.2610.008** SELF CENTERING FORCEPS (A.O.TYPE) : 8"
- BU.2619.107** REDUCTION CLAMP: SERRATED X 7"
- BU.2619.505** REDUCATION CLAMP : POINTED É RATCHET X 5"
- BU.2641.208** FARABEU F PERIOSTEUM ELEVATOR (CRD): 8MM
- BU.2640.063** PERIOSTEUM ELEVATOR (A.O.TYPE) : 6MM X CVD X SQ TIP
- BU.2652.010** HOHMAN'S RETRACTOR : 10MM
- BU.2655.008** BONE SPIKES A.O.TYPE : 8MM
- BU.2759.002** ALUM. BOX-COATING É SIDELOCK (415 X 235 X 85MM) FOR SMALL FRAG - INSTRUMENT WITH SILICON FITTING (INSIDE DIMENSION) - 1.





HEALTHCORE VENTURES

[build.scale.expand.](http://build.scale.expand)

Unit no 157, Kaliandas Udyog Bhavan, near Century Bazar, Prabhadevi, Mumbai- 400025

Tel: +91 86554 11521

Email: sales@healthcoreventures.com

Web: www.healthcoreventures.com